

<i>program</i>	→	hello <i>statements</i> goodbye
<i>statements</i>	→	
<i>statements</i>	→	<i>statement</i> <i>statements</i>
<i>statement</i>	→	
<i>statement</i>	→	maybe <i>statement</i>
<i>statement</i>	→	do <i>command</i>
<i>statement</i>	→	[<i>statements</i>]
<i>statement</i>	→	<i>statement</i> if <i>expression</i>
<i>statement</i>	→	<i>statement</i> because <i>expression</i>
<i>statement</i>	→	until <i>expression</i> <i>statement</i>
<i>statement</i>	→	<i>expression</i> -> id
<i>statement</i>	→	define function < numeral > as <i>statement</i>
<i>statement</i>	→	return <i>expression</i>
<i>command</i>	→	builtin < <i>expressions</i> >
<i>command</i>	→	" function " < <i>expressions</i> >
<i>expressions</i>	→	
<i>expressions</i>	→	<i>expression</i> ; <i>expressions</i>
<i>expression</i>	→	string
<i>expression</i>	→	numeral
<i>expression</i>	→	boolean
<i>expression</i>	→	{ <i>expressions</i> }
<i>expression</i>	→	(<i>expression</i>)
<i>expression</i>	→	<i>expression</i> binop <i>expression</i>
<i>expression</i>	→	variable id
<i>expression</i>	→	<i>statement</i>